STANDARD HORIZON

Standard - 3 Year Waterproof Warranty - Including Water Damage

New! Eclipse GX1300 Fixed-Mount Class D DSC VHF Radio

KEY FEATURES: • Easy-to-operate icon/menu system • Compact for greater mounting flexibility • DSC Test Calling and Automatic Position Polling • Waperproof to IPx8 standards.

The affordable GX1300 Eclipse Class D VHF Radio has been re-engineered to meet the IPx8 submersible waterproof rating. This ultra-compact VHF radio has also been redesigned with a new easy-to-operate icon/menu system that utilizes an oversized full dot matrix LCD that increases the size of the channels and navigation information being displayed. The rear chassis of this radio has also been reduced to 5.9" deep for simple installation and greater mounting flexibility in tight spaces. The perfect choice for the budget-conscious mariner in need of a full-featured marine VHF, the GX1300 Eclipse has been updated with great new features including DSC Test Calling and Automatic Position Polling. Other features include all USA/International/Canadian marine channels, programmable soft keys, NOAA weather with weather alert, programmable memory and priority scan, dual watch, and microphone with Clear Voice Noise Reduction Technology to eliminate unwanted background wind and engine noise. The Eclipse GX1300 is capable of initiating a DSC distress call. When interfaced with your GPS and activated, it transmits a digital mayday including vessel identification, Latitude/ Longitude, and time to facilitate a prompt rescue. Additional DSC features include Individual, Urgency, Safety, Position Report and Send, DSC test call, and auto DSC channel switching. 3-year waterproof warranty. Flush-Mount Cutout: 5.15"W x 2"H. Dimensions: 6.1"W x 2.36"H x 5.9"D.

GX1300B Eclipse DSC+ 25V VHF, black .....
GX1300W Eclipse+ DSC 25V VHF, white .....

Explorer GPS Class D 25 Watt VHF – GX1600

Mounting a VHF radio has never been easier. The Explorer GX1600 has an ultra thin, compact rear case, only 3.5" in depth or half the depth of comparable VHF radios on the market. Ultra thin and compact rear case design (3.5" depth). Meets ITU-R M493-13 Class D DSC (Digital Selective Calling) with Individual, All Ship, Position Report, Request and Distress. Navigation to a DSC Distress Call with compass page. Automatically poll the GPS position of up to 4 ships using DSC. Enter, Save, and Navigation to waypoint with Compass page. GPS Compass display. Navigation (LAT/LON, SOG, and COG) information shown on display. Submersible JIS-8 1.5M (4.92Ft) for 30 minutes. Noise canceling microphone with channel UP/DOWN, 16/9 and H/L keys. NOAA weather channel selection with alert. Programmable Scan, Priority Scan, and Dual Watch. GPS repeating of position, SOG, COG and time. Customizable channel names. Oversized dot matrix display. NMEA Input and Output. Programmable soft keys. Capable of connecting to a Second Station CMP30 Remote Access Microphone. Overall Dimension: 5.91"(w) x 3.35"(H) x 3.54"(D). Flush mount cutout: 5.35"(W) x 2.80"(H) x 2.56"(D). 3 Year Waterproof Warranty. Weight: 4lbs.

GX1600B Explorer Class D 25 Watt VHF, black.....
GX1600W Explorer Class D 25 Watt VHF, white.....

Explorer GPS Class D 25 Watt VHF – GX1700

KEY FEATURES: • Internal GPS Receiver (12 Channel WAAS) - Navigate to Waypoints (Stores up to 100) • ITU-R M493-11 Class D Digital Selective Calling with a separate Channel 70 receiver • DSC DISTRESS function when activated transmits a digital MAYDAY including vessel identification, Latitude / Longitude and Time (with GPS connected), to facilitate prompt response. Additional calls that can be made are Individual, Urgency, Safety, Position Report and Send. • RAM3 second station mic capable • Big, bold display • DSC Position Polling and NMEA in/output w / automatic GPS position polling of up to 4 stations • Programmable Scan, Priority Scan and Dual Watch • ClearVoice noise reduction technology Programmable Channel Names •10 NOAA & Canadian Pre-programed Weather channels and Weather Alert •3-Year waterproof warranty. $2\frac{3}{8}$"H x $5\frac{1}{8}$"W x $6\frac{1}{8}$"D

GX1700B Explorer GPS Class D 25 Watt VHF, black .....
GX1700W Explorer GPS Class D 25 Watt VHF, white .....

STANDARD HORIZON

New! ***Matrix AIS/GPS GX2200 – Now with Integrated AIS and GPS*** List Net

The GX2200 Matrix AIS/GPS features a 66 channel WAAS GPS antenna integrated into the front panel of the radio – no need to hassle with wiring the radio to a GPS for DSC or AIS. Out of the box ready to go, acquiring AIS and AIS SART targets, DSC calling, position sharing, waypoint navigation, and navigation to DSC distress calls all can be performed with just a few simple steps. The GX2200 displays AIS target information (MMSI, Call Sign, Ship Name, BRG, DST, SOG and COG), allows you to contact an AIS Ship directly using DSC, shows your vessels position in relation to AIS targets, and alerts you when an AIS ship may be approaching too close to your location via the Closest Point of Approach (CPA) Alarm. One antenna input is all that is needed since the MATRIX AIS/GPS utilizes the VHF antenna to receive AIS targets from ships class A or B AIS transponders. The GX2200 features an 80dB commercial grade receiver with Local/Distance attenuator, ITU Class D DSC, powerful 30 Watt PA/Loud Hailer with listen back, and preprogrammed fog signals. Enter and save up to 100 waypoints, which may be selected and navigated to by using a unique navigation compass display that shows your vessels SOG, COG, BRG (Bearing) and DST (Distance) to the waypoint. Can be connected to a RAM3 Remote Access Microphone, allowing full control of all VHF, DSC and hailer functions remotely as well as adding an intercom between the radio and second station microphone. Able to "poll" (request and send) the GPS LAT/LON of another vessel and show the vessel's position on the radio's alphanumeric display or send the data to a compatible GPS chart plotter to be viewed directly on the chart, a great feature for maintaining contact with fishing or cruising "buddy" boats. The 2200X can also send all AIS target information to a chart plotter via high speed NMEA data connection. 3-year warranty. Dimensions: 7.1"W x 3.1"H x6.3"D.

GX2200B MATRIX AIS/GPS Class D 25 Watt VHF, black.....
GX2200W MATRIX AIS/GPS Class D 25 Watt VHF, white.....

Matrix – GX2000B

AIS receiver or transponder connection. AIS target display: MMSI, Call Sign, Ship Name, BRG, DST, SOG and COG. Contact AIS target with DSC. CPA (Closest Point of Approach) Alarm. Enter, Save and Navigate to waypoints with Compass page when connected to GPS. Navigate to a DSC Distress Call. Local Distance attenuator. Speaker microphone. JIS-7 Waterproof Construction. 80dB Commercial Grade Class D DSC VHF. Independent Channel 70 receiver built-in for continuous DSC watch. 30W PA/Loud Hailer and 4 fog horns. Capable of connecting to enhanced RAM3 (optional. Intercom between radio and second station microphone. DSC position request and report functions when connected to a compatible GPS Chart Plotters. Voice Scrambler (optional). Versatile user-programmable scanning, priority scan and Dual Watch. One-button access to Channel 16 and 9. User programmable soft keys. Oversized rotary channel knob with push to enter, backlit display and keys. Navigation (LAT/LON, SOG and COG) information shown on display when connected to GPS. 3.1"H x 7.1"W x 6.3"D.

GX2000B MATRIX Class D 25 Watt VHF, black.....

Standard Quantum – GX5500S – 30W Loud Hailer with Listen Back and 4 Fog Horns

ITU Class D DSC transceiver. Meets Transport Canada requirements for vessels engaged on foreign or home trade voyages. Independent channel 70 receiver built in for continuous DSC watching, oversized alphanumeric LCD. DSC position request function and NMEA data input/output to connect the GPS plotter, capable of connecting 2 optional enhanced ram+ second station remote microphones. Three-station intercom when enhanced ram+ microphones connected. Removable speaker microphone with 16/9 key and channel selection with voice scrambler and waterproof front panel. 3.5"H x 9.1"W x 5.9"D.

GX5500S GX5500S Quantum VHF.....
CB3961001 Microphone for GX5000 and GX5500 .....

VLH3000 ***30W Dual Zone Loud Hailer***

• 30W PA output • Dual zone output forward, aft, or all • Noise canceling microphone • Easy push button control • Loud speaker audio • 2 Intercom Station capable with the MLS-300i intercom speaker • 3 Year Waterproof Warranty • Dimensions: 4.3"H x 7.1"W x 5.5"D.

VLH3000 30 Watt Hailer .....

STANDARD HORIZON

Remote Microphone – RAM3

The RAM3 (CMP-30) allows you to remotely control ALL functions of Standard Horizon fixed-mount VHF radios, which include the Quantum series, Matrix and Matrix AIS Series, Explorer series. Backed by our Industry Leading 3-year waterproof warranty.

CMP-30B RAM 3 Remote microphone, black .....
CMP-30W RAM 3 Remote microphone, white .....

Handheld VHF

Twin Pack of HX100 – Floating 2.5 Watt Handheld VHF Twin-Pack

Key Features: • Floating • Submersible IPX7 (3.3 feet or 1 meter for 30 minutes) • Slim, form fitting case design • More than 7.5 hours of battery life • E2O (Easy To Operate) menu system • Selectable 2.5 and 1 Watt transmit power output • Supplied with a 700 mAh Ni-MH battery, 110 VAC chargers and a charging cradle • Huge channel display•All USA, International and Canadian Marine Channels • Programmable Scan, Priority Scan and Dual Watch • NOAA Weather channels and Weather Alert • Key lock • Squelch level on display • Battery life indicator • 3 Year Waterproof Warranty • Display Type: LCD • Dimensions: 2.32"(W) x 5"(H) x 1.34"(D) • Screen Size: 1.5" (W) x .9" (H) • Weight: 13.4 ounces.

HX100 Floating 2.5 Watt Handheld VHF Twin-Pack .....

HX150 – Floating 5 Watt Handheld VHF

KEY FEATURES: • Floating • Submersible IPX7 (3.3 feet or 1 meter for 30 minutes) • Slim, form fitting case design • 10 hours of battery life • E2O (Easy To Operate) menu system • Selectable 5 and 1 Watt transmit power output • Supplied with a 1030 mAh Li-Ion battery, 110 VAC chargers and a charging cradle • Huge channel display • All USA, International and Canadian Marine Channels • Programmable Scan, Priority Scan and Dual Watch • NOAA Weather channels and Weather Alert • Key lock • Squelch level on display • Battery life indicator • 3 Year Waterproof Warranty • Dimensions: 2.32"(W) x 5"(H) x 1.34"(D) • Display Type: LCD • Screen Size: 1.5" (W) x .9" (H) • Weight: 13.4 oz.

HX150 5W Floating Handheld VHF .....

Floating Handheld VHF Radio – HX290

The HX290 is an extremely affordable floating handheld VHF with an oversized easy-to-read backlit display. The HX290 is value packaged with an 1170mAh Lithium-ion non-memory rechargeable battery, rugged belt clip, 110 VAC and 12V DC trickle chargers and a drop-in charging cradle. Other great features include Programmable Scan, Dual Watch, Ch16 Priority Scan, NOAA weather channels with weather alert, selectable 5 and 1 Watt transmit power, 10-favorite channel preset key, speaker-microphone jack and a battery life indicator. Material: Polycarbonate housing, die-cast chassis. Controls: On/Off volume knob, 9-button keypad. Scanning Modes: Programmable, Priority Scan and Dual Watch. Weather Alert, Flexible whip antenna. Transmit Power: 5/1 Watt. Battery Life: 8 hours. Waterproof: Mfr.-rated IPX8 submersible, and it floats. Dimensions: 2 5/16"W x 5 1/4"H x 1 7/8"D. Screen Size: 1 1/2"W x 1"H. Weight: 13.4oz. Included Equipment: 110V AC and 12V DC chargers, charging cradle, belt clip. Warranty: Three-year waterproof, $65 flat rate.

HX290 5W Floating Handheld VHF .....

STANDARD HORIZON

Handheld VHF continued

Submersible 5W Handheld Commercial VHF with LMR Channels – HX400

The submersible HX400 combines multiple features for a wide variety of users. Commercial tough construction with all VHF marine channels, optional speaker microphone jack, voice scrambler, noise cancelling microphone and 40 programmable LMR (Land Mobile Radio) channels with CTCSS and DCS signaling. Additional features include a built-in Voice Scrambler for private communications, Programmable Scan, Ch16 Priority Scan Dual Watch, TRI-Watch, channel names; NOAA weather channels with weather alert, selectable 5 or 1 watt transmit power, 10-channel preset key and a low battery life indicator. The HX400 is supplied with an ultra-high capacity 2400mAh Lithium-ion battery.

STDHX400 5W Handheld VHF .....
STDHX400IS Intrinsically Safe 5 Watt Handheld VHF .....

6 Gang Rapid Charger for HX400 Series

Multi-charger that enables recharging of up to six HX400 handheld VHF radios at one time. Includes 120VAC power supply.

SAD-1460 6 Gang 110-240VAC Rapid Charger .....

HX300 – 5 Watt Floating Handheld VHF with USB Charger

The HX300 is an extremely compact 5W handheld VHF radio. If dropped overboard, a flashing strobe light is activated to help recover the unit. Key features include programmable scan, priority scan, tri-watch and dual-watch functions, 10-channel presets, 600mW internal audio speaker, and easily operated menu. NOAA weather channels. Features: High-capacity 1650mAh • Floating • E2O (Easy to Operate) menu system • 3.7V Lithium-ion rechargeable battery • 110V AC charger • USB charging cable • Antenna • Belt clip • Submersible to IPX8 standards • Dimensions: 2.3"H x 5"H x 1.3"D.

HX300 5W Floating Handheld VHF .....

6 Gang Multi-Charger For HX370 Series

multi charger that enables recharging of NI-CD AND NI-MH battery packs for HX370S/HX370SAS.

VAC-6020B 120V 6 Gang Multi Charger for HX370 Series .....
VAC-6020C 220V 6 Gang Multi Charger for HX370 Series .....

Important: Although these can charge the HX370SAS intrinsically safe radio they are not rated intrinsically safe themselves and should not be used in hazardous areas.

New! HX870 – Floating 6 Watt Handheld VHF with GPS

Building on the success of the HX851, Standard Horizon introduces a whole new level in safety and performance in a marine floating handheld VHF/GPS. The HX870S Floating Class D DSC VHF handheld features a 66-channel WAAS GPS receiver allowing the radio to transmit a DSC distress call with your vessels position or navigate to a waypoint. The new oversized full dot matrix LCD (1.7"W x 1.7"H - 2.3" diagonal) and Easy to Operate Icon/Menu System makes this the most intuitive handheld on the market: DSC calling, position sharing, waypoint and route navigation, navigation to DSC distress call can all be performed with just a few simple steps making the HX870 perfect for everyday use or adding to your ditch bag. The radio is designed to be a work horse, starting with the die-cast chassis and the IPX8 submersible waterproof rating of 4.92 feet for 30 minutes, to the 6 watts of transmit power and the long lasting 1800 mAh Li-Ion battery. The HX870 is capable of entering and saving up to 200 waypoints and 20 routes, which may be selected for navigating to via the radios unique compass page which shows your vessels SOG, COG, BRG (Bearing) and DST (Distance) to the waypoint. The compass page can also display the position of up to 9 vessels in proximity to you via the new GM (Group Monitoring) feature. Full dot matrix display with channel names, Position request and position report, 10 channel preset key selection, USB data port, GPS position logger, water activated SOS strobe light (the radio will turn on and flash SOS even if dropped in the water while the radio is turned off), NOAA Weather with Weather Alert, programmable memory and priority scan, dual- and tri-watch scan functions. The HX870 is supplied with a high capacity1800 mAh Li-Ion Battery, 110VAC and 12VDC 3-hour quick chargers, and an Alkaline Battery Tray (AAAx5). 3-year waterproof warranty.

HX870 Handheld VHF Floating 6W DSC GPS .....

STANDARD HORIZON

WAAS GPS Chartplotters

CP190INC – 5" WAAS GPS Chart Plotter with Internal Antenna – No Charts

The internal 50-channel WAAS receiver is the heart of the CP190iNC. WAAS delivers pinpoint repeatable accuracy to within 3 meters of a vessel's actual position without the additional expense of a Differential receiver. The WAAS system currently covers the United States, Canada, Mexico and parts of northern South America. Additionally, the CP190iNC is EGNOS and MSAS ready which will extend superior receiver performance to the United Kingdom and European Continent. 5" Color TFT daylight viewable LCD display. Internal 50 channel WAAS GPS receiver and antenna. Connection for the optional external 50 Channel WAAS GPS Smart antenna. C-MAP NT+ and C-MAP MAX compatible. Fish Finder and AIS capable. Displays DSC Distress and Position report calls received from a DSC VHF radio. Customizable data windows. GPS Status, Chart, Navigation, Highway, Celestial, Tides, Chart/Fish, Radar and AIS pages. 3000 Marks / 50 Routes. 20 Tracks with 10000 available track points. Dual chart window with independent zoom levels. Satellite images on base map. Font size selection on chart page. Navigation and Route line thickness. Find Key, allows quick access to port information, tide stations, wrecks, point of interest and coordinates (with optional C-Map MAX). Navigate to an Olympic route. Automatic switching of Daylight Savings time. Route checking. Supplied with a swivel mounting bracket and flush mounting hardware. Dedicated MARK, ROUTE and INFO keys. 2 NMEA inputs / 3 outputs. 3 Year Waterproof Warranty. 4.4"H x 7.1"W x 1.7"D

CP190INC 5" Plotter Internal Antenna / No Charts .....

CP390iNC – 7" WAAS GPS Chart Plotter with Internal Antenna – No Charts

The CP390i also is compatible with optional C-Map MAX cartography for more detailed charts. 7" Hi Res 800x480 sunlight viewable display. Internal 50 channel WAAS GPS receiver and antenna. Connection for the optional external 50 Channel WAAS GPS Smart antenna. C-MAP NT+ and C-MAP MAX compatible. Fish Finder and AIS capable. Displays DSC Distress and Position report calls received from a DSC VHF radio. Customizable data windows. 1 NTSC or PAL Video inputs with Picture In Picture display. Able to show Distress and Position report calls received from a DSC VHF radio. GPS Status, Chart, Navigation, Highway, Celestial, Tides, Chart/Fish, Radar and AIS pages. 3000 Marks / 50 Routes. 20 Tracks with 10000 available track points. Dual chart window with independent zoom levels. Satellite images on base map. Font size selection on chart page. Navigation and Route line thickness. Navigate to an Olympic route. Find Key, allows quick access to Port information, tide stations, wrecks, Point Of Interest and coordinates (with optional C-Map MAX). Automatic switching of Daylight savings time. Route checking. Supplied with a swivel mounting bracket and flush mounting hardware. Dedicated MARK, ROUTE and INFO keys. C-MAP NT+ and C-MAP MAX compatible. 4 NMEA inputs / 5 outputs. 3 Year Waterproof Warranty. 5.7"H x 9.9"W x 1.5"D.

CP390INC 7" Plotter / Internal Antenna / No Charts .....

External GPS Antenna

External GPS antenna for use with CP190i, CPF190I, CP390i, CPF390i, CP500,COV550, CPN700i, CPN1010i. Supplied with 30 feet of routing cable.

Q7000619A External GPS Antenna .....

STANDARD HORIZON

Displays

CPN700i

The Standard Horizon CPN Series will grant you the confidence you need to navigate safely to your destination and gives you something to do along the way. The CPN series plotters come with built in Wi-Fi, multimedia capabilities, USB and Bluetooth technology, Ethernet networking, and more, all on an easy-to-use touch screen display.

With built-in Wi-Fi you will have full internet access from any Wi-Fi hot spot. Stream live music or video and listen effortlessly from the chart plotter's front panel built-in speakers. Or for improved audio quality take advantage of an auxiliary output to connect your onboard stereo speakers. Check your email or even reply with an onscreen touch sensitive keyboard. If you prefer, connect up a mouse and keyboard via Bluetooth or an easily accessible USB port. For onboard entertainment, connect a USB memory drive to the CPN series plotter to watch movies, view pictures, or listen to music.

When you are ready to depart from a local Wi-Fi hotspot, check your CPN series plotter for up-to-date weather conditions with XM Weather overlay. You can even bring the weather report along, with an optional network XM Weather receiver. Overlay current weather conditions, radar, or AIS information on the CPN series built-in detailed charts for coastal navigation of USA including Alaska, Hawaii and Great Lakes, Canada, Bahamas, Caribbean, Cuba, Mexico, Puerto Rico, and Central America. Or purchase the optional C-Map 4D cartography to enable 3D raster, vector, satellite maps, high resolution photos and an intensive Point of Interests list; all with complete control to zoom, rotate and tilt the map at will. Best of all, share radar, user-created points, and cartography information between two CPN series plotters on our high speed Ethernet network.

The conveniently compact CPN700i with a 7" display is equipped with internal 50 channel WAAS GPS receivers and a connection for an optional external GPS Antenna. The bonded display of the CPN700i Series achieves superior clarity in direct sunlight. Take advantage of the touch display to zoom in and out and scroll between various navigation pages. The CPN700i allows you to monitor a video camera or connect a DVD player with 1 video input.

Features:

- CPN700i 7" WVGA 800 x 480 sunlight viewable bonded touch screen display
- Built-in Wi-Fi and Bluetooth capability
- Dual station networking capability
- Internal 50 channel WAAS GPS antenna with external antenna connection
- Built-in detailed charts for coastal navigation of USA including Alaska, Hawaii and Great Lakes, Canada, Bahamas, Caribbean, Cuba, Mexico, Puerto Rico, and Central America
- Optional C-Map 4D cartography for viewing 3D, raster or vector charts and an intensive library of photos / POI's
- Dual chart window with independent zoom levels
- Displays DSC Distress and Position report calls received from a DSC VHF radio
- FF525 Fish Finder, Radar capable and AIS capable
- CPN700i (1) NTSC or PAL Video inputs with Picture in Picture display
- Supplied with a mounting bracket and flush mounting hardware

Dimensions: CPN 700i – 5.9"H x 9"W x 3.4"D.

CPN700I 7" Plotter - Networking Preloaded US/Canada .....

STANDARD HORIZON

12" WAAS GPS Chart Plotter with External Antenna – CP590NC (no charts)

Find every destination in style with the CP590NC WAAS enabled GPS Chart Plotter. The CP590 boasts a crisp high-definition 12-inch 800x600 (SVGA) sunlight viewable TFT display. The 5 user programmable hot keys allow quick and easy access to a number of pre-programmed navigation displays. Connect your CP590 to two video sources and watch your favorite DVD, play your favorite video game, or monitor your engine room in full screen or Picture in Picture. In addition, the CP590 has one VGA Video output that connects to an external TV or Monitor allowing your passengers to view the vessels progress to a favorite destination. Supplied with both a mounting bracket and flush mount hardware. NMEA connections are available to compatible Standard Horizon VHF for DSC distress and position polling functions. To find fish, wrecks and record water temperature, simply connect the optional FF525 50/200 kHz black box fish finder and transducer. Dedicated MARK, ROUTE and INFO keys allow for fumble free operation. In addition, the CP590 displays and tracks AIS (Automatic Identification System) targets when connected to an optional AIS Receiver. The CP590 is backed by an industry leading 3-year waterproof warranty. 10.2"H x 15.4"W x 6.3"D.

CP590NC 12" Plotter 50 Channel GPS with No Charts .....

FF525 Black Box Fishfinder

FF525 "Black Box Fish Finder Module" Features Improved waterproof and shock resistant housing 600W / 1000W Dual frequency Fish finder 50 / 200kHz frequency selection 2x and 4x Zoom, bottom lock and white line selections Sensitivity Time Control (STC).

FF525 Sounder Module .....

Transducers

DST520	50/200kHz Nylon Depth Thru Hull .....
DST521	50/200kHz TM Depth/Speed/Temp .....
DST523	50/200kHz Bronze Thru Hull Depth/Temp.....
DST525	50/200kHz In-Hull Depth .....
DST526	50/200kHz Bronze Thru Hull D/S/T .....
DST527	50/200kHz 1kW In-Hull Depth.....
DST528	50/200kHz 1kW Bronze Thru Hull Depth .....

Rapid Chargers

VAC-20B	110v rapid charger for use with HX500S, HX600S .....
VAC-370	110v rapid charger .....
VAC-370C	220v rapid charger .....

Miscellaneous Accessories

BTK-2

VC-24

CLIP-14	Belt Clip.....
CLIP-24	Belt Clip.....
CMB-16	Flush Kit .....
ACVC10	Video Adapter Cable .....
CT62	Programming Cable .....
CT99	PC Programming Cable .....
CVS-2500	Scrambler.....
BTK-2	Bluetooth Headset Kit for 5000/5500 .....
MCC270	Nylon Case.....
MCC-460	Neoprene Case .....
MEK-4	Microphone Extension Kit for 5000/5500 .....
VC-24	VOX Headset .....
MH-57A4B	Mini Speaker Microphone .....
MH-73A4B	Speaker Microphone.....

STANDARD HORIZON

FNB-115LI

Miscellaneous Accessories - continued

FNB-83	NI-MH Battery
FNB-V105LI	Battery
FNB-V110LI	Battery
FNB-115LIIS	Battery 2400mAh Intrinsically Safe
FNB-V57IS	Battery
FNB-115LI	Battery
FNB-124LI	Battery 1030mAh for HX150
FNB-125	Battery 700mAh for HX100
FNB-121LI	Battery
FNB-122LI	Battery
FNB-80LI	Battery

MMB84

FBA-23	AA Battery Tray
FBA-25A	AA Battery Tray
FBA-38	Alkaline Battery Tray
FBA-40	Alkaline Battery Tray
FBA-42	Alkaline Battery Tray
FBA-44	Alkaline Battery Tray
SBT-13	Alkaline Battery Tray
SBR-13LI	1800mAh Li-ion Battery

MMB97	Flush Mount Kit
MMB84	Flush Mount Kit for Matrix and Quantum

XUCMP0014

RA058880	Volume/Power Knob for HX370A

220SW	Hailer Horn 20 WATT 4 Ohm
240SW	Hailer Horn 40 WATT 4 Ohm

XUCMP0014	Antenna for CP150,160, 170 NOT CP1000
CAT460	Antenna for most handheld radios

CD-26	Charger Stand
CD-35	Charging Cradle
CD-38	Charging Cradle
CD-39	Charging Cradle
CD-46	Charging Cradle Requires NC90 or E-DC-19A
CD-50	Charging Cradle for Use with PA45B/C Charger
CD-52	Charging Cradle for Use with PA44B/C Charger
CD-56	Twin Charging Cradle for Use with HX100
CD-57	Charging Cradle for Use with HX150
PA-48B	110VAC Wall Charger - Requires Cradle
PA-44B	110VAC Wall Charger - Requires Cradle
PA-44C	220VAC Wall Charger - Requires Cradle
PA-45B	110VAC Wall Charger - Requires Cradle
PA-45C	220VAC Wall Charger - Requires Cradle
PA-48C	220VAC Wall Charger - Requires Cradle

CMP-460

CMP-460	Speaker Microphone
MH-66D4B	Speaker Mic Commercial Grade

STANDARD HORIZON

Miscellaneous Accessories - continued

E-DC6 12V Power Cord Bare Wires.....
E-DC-19A 12V Cord.....
E-DC-30 EDC-30 12V Cord.....

FVP-31 Scrambler for for HX370S, HX471S, HX600S vhf radios.

MLS-300B Black Remote Speaker .....
MLS-300IB Black Speaker with Push to Alert.....
MLS-300IW White Speaker with Push to Alert.....
MLS-300W White Remote Speaker .....
MLS-310B Amplified Remote Speaker Black.....
MLS-310W Amplified Remote Speaker White .....

SU-1 Barometric Pressure Sensor for HX460.....

SSM-55A Ear Bud with Mic .....
VC-24 Vox Headset.....